


YG200NL מיסב מעוגל- עם גירוז


YBG200NL מיסב ישר- עם גירוז

Y200NL מיסב מעוגל- ללא גירוז


YB200NL מיסב ישר- ללא גירוז




Y200NL
מעוגל ללא גירוז



YB200NL
ישר ללא גירוז



YG200NL
מעוגל עם גירוז



YBG200NL
ישר עם גירוז

קוטר ציר	מק"ט		מידות [מ"מ]											עומסים [N]		מהירות מירבית [סל"ד]
	מעוגל	ישר	B	D	G	H	J ישר	J מעוגל	M	N	r	Y	Co סטטי	C דינמי		
1/2	YG2B08NL	YBG2B08NL	40.000	37.71	13.891	27.781	12.000	13.000	28.6	23.90	0.61	3.28	4260	8100	9000	
5/8	YG210NL	YBG210NL	40.000	37.71	13.891	27.781	12.000	13.000	28.6	23.90	0.61	3.28	4260	8100	9000	
11/16	YG211NL	YBG211NL	40.000	37.71	13.891	27.781	12.000	13.000	28.6	23.90	0.61	3.28	4260	8100	9000	
3/4	YG212NL	YBG212NL	47.000	43.66	17.066	34.131	14.000	15.000	33.3	28.47	1.00	3.48	5700	9830	7500	
7/8	YG214NL	YBG214NL	52.000	44.45	17.462	34.925	15.000	15.000	38.1	33.35	1.00	3.56	6810	10810	6800	
15/16	YG215NL	YBG215NL	52.000	44.45	17.462	34.925	15.000	15.000	38.1	33.35	1.00	3.56	6810	10810	6800	
1	YG216NL	YBG216NL	52.000	44.45	17.462	34.925	15.000	15.000	38.1	33.35	1.00	3.56	6810	10810	6800	
1-1/8	YG218NL	YBG218NL	62.000	48.42	18.256	36.513	18.000	18.000	44.5	40.31	1.00	5.13	9790	15030	5600	
1-3/16	YG219NL	YBG219NL	62.000	48.42	18.256	36.513	18.000	18.000	44.5	40.31	1.00	5.13	9790	15030	5600	
1 1/4	YG2E20NL	YBG2E20NL	62.000	48.42	18.256	36.513	18.000	18.000	44.5	40.31	1.00	5.13	9790	15030	5600	
1-1/4	YG220NL	YBG220NL	72.000	51.20	18.852	37.703	19.000	19.000	55.6	46.91	1.00	6.07	13300	19880	4800	
1-3/8	YG222NL	YBG222NL	72.000	51.20	18.852	37.703	19.000	19.000	55.6	46.91	1.00	6.07	13300	19880	4800	
1-7/16	YG223NL	YBG223NL	72.000	51.20	18.852	37.703	19.000	19.000	55.6	46.91	1.00	6.07	13300	19880	4800	
1-1/2	YG224NL	YBG224NL	80.000	56.36	21.431	42.863	21.000	22.000	60.3	52.91	1.00	6.43	17200	25100	4500	
1-5/8	YG226NL	YBG226NL	85.000	56.36	21.431	42.863	22.000	22.000	63.5	57.94	1.00	6.45	17800	25220	4000	
1-11/16	YG227NL	YBG227NL	85.000	56.36	21.431	42.863	22.000	22.000	63.5	57.94	1.00	6.45	17800	25220	4000	
1-3/4	YG228NL	YBG228NL	85.000	56.36	21.431	42.863	22.000	22.000	63.5	57.94	1.00	6.45	17800	25220	4000	
1-15/16	YG231NL	YBG231NL	90.000	62.71	24.606	49.213	23.000	22.000	69.8	62.86	1.00	6.81	20200	27090	3600	
2	YG2E32NL	YBG2E32NL	90.000	62.71	24.606	49.213	23.000	22.000	69.8	62.86	1.00	6.81	20200	27090	3600	
2	YG232NL	YBG232NL	100.000	71.44	27.781	55.563	25.000	25.000	76.2	69.82	1.50	7.49	25400	33540	3200	
2-3/16	YG235NL	YBG235NL	100.000	71.44	27.781	55.563	25.000	25.000	76.2	69.82	1.50	7.49	25400	33540	3200	
2-1/4	YG236NL	YBG236NL	110.000	77.79	30.956	61.913	27.000	27.000	82.6	76.50	1.50	8.38	31300	40520	3000	
2-3/8	YG238NL	YBG238NL	110.000	77.79	30.956	61.913	27.000	27.000	82.6	76.50	1.50	8.38	31300	40520	3000	
2-7/16	YG239NL	YBG239NL	110.000	77.79	30.956	61.913	27.000	27.000	82.6	76.50	1.50	8.38	31300	40520	3000	


ניתן להשיג ללא גירוז Y200NL / YB200NL

UG200NL מיסב מעוגל- עם גירוז

UBG200NL מיסב ישר- עם גירוז

U200NL מיסב מעוגל- ללא גירוז

UB200NL מיסב ישר- ללא גירוז



קוטר ציר	מק"ט		מידות [מ"מ]										עומסים [N]		מהירות מירבית [סל"ד]
	מעוגל	ישר	B	D	G	J ישר	J מעוגל	N	r	S	Y	Co	C		
1/2	UG2B08NL	UBG2B08NL	40.000	27.78	11.509	12.000	13.000	23.90	0.61	3.8	3.28	4260	8100	9000	
	UG210NL	UBG210NL	40.000	27.78	11.509	12.000	13.000	23.90	0.61	3.8	3.28	4260	8100	9000	
	UG211NL	UBG211NL	40.000	27.78	11.509	12.000	13.000	23.90	0.61	3.8	3.28	4260	8100	9000	
17	UG2M17NL	UBG2M17NL	40.000	27.78	11.509	12.000	13.000	23.90	0.61	3.8	3.28	4260	8100	9000	
	UG212NL	UBG212NL	47.000	32.54	13.494	14.000	15.000	28.47	1.00	4.8	3.48	5700	9830	7500	
20	UG2M20NL	UBG2M20NL	47.000	32.54	13.494	14.000	15.000	28.47	1.00	4.8	3.48	5700	9830	7500	
	UG214NL	UBG214NL	52.000	34.53	14.288	15.000	15.000	33.35	1.00	5.6	3.56	6810	10810	6800	
15/16	UG215NL	UBG215NL	52.000	34.53	14.288	15.000	15.000	33.35	1.00	5.6	3.56	6810	10810	6800	
	UG216NL	UBG216NL	52.000	34.53	14.288	15.000	15.000	33.35	1.00	5.6	3.56	6810	10810	6800	
	UG2M25NL	UBG2M25NL	52.000	34.53	14.288	15.000	15.000	33.35	1.00	5.6	3.56	6810	10810	6800	
25	UG218NL	UBG218NL	62.000	39.69	15.478	18.000	18.000	40.31	1.00	5.6	5.13	9790	15030	5600	
	UG219NL	UBG219NL	62.000	39.69	15.478	18.000	18.000	40.31	1.00	5.6	5.13	9790	15030	5600	
	UG2E20NL	UBG2E20NL	62.000	39.69	15.478	18.000	18.000	40.31	1.00	5.6	5.13	9790	15030	5600	
30	UG2M30NL	UBG2M30NL	62.000	39.69	15.478	18.000	18.000	40.31	1.00	5.6	5.13	9790	15030	5600	
	UG220NL	UBG220NL	72.000	44.85	16.669	19.000	19.000	46.91	1.00	6.4	6.07	13300	19880	4800	
1-3/8	UG222NL	UBG222NL	72.000	44.85	16.669	19.000	19.000	46.91	1.00	6.4	6.07	13300	19880	4800	
	UG223NL	UBG223NL	72.000	44.85	16.669	19.000	19.000	46.91	1.00	6.4	6.07	13300	19880	4800	
	UG2M35NL	UBG2M35NL	72.000	44.85	16.669	19.000	19.000	46.91	1.00	6.4	6.07	13300	19880	4800	
35	UG224NL	UBG224NL	80.000	48.42	18.653	21.000	22.000	52.91	1.00	8.1	6.43	17200	25100	4500	
	UG2M40NL	UBG2M40NL	80.000	48.42	18.653	21.000	22.000	52.91	1.00	8.1	6.43	17200	25100	4500	
40	UG226NL	UBG226NL	85.000	51.59	20.241	22.000	22.000	57.94	1.00	8.1	6.45	17800	25220	4000	
	UG227NL	UBG227NL	85.000	51.59	20.241	22.000	22.000	57.94	1.00	8.1	6.45	17800	25220	4000	
	UG228NL	UBG228NL	85.000	51.59	20.241	22.000	22.000	57.94	1.00	8.1	6.45	17800	25220	4000	
45	UG2M45NL	UBG2M45NL	85.000	51.59	20.241	22.000	22.000	57.94	1.00	8.1	6.45	17800	25220	4000	
	UG231NL	UBG231NL	90.000	53.18	21.034	23.000	22.000	62.86	1.00	9.6	6.81	20200	27090	3600	
50	UG2E32NL	UBG2E32NL	90.000	53.18	21.034	23.000	22.000	62.86	1.00	9.6	6.81	20200	27090	3600	
	UG2M50NL	UBG2M50NL	90.000	53.18	21.034	23.000	22.000	62.86	1.00	9.6	6.81	20200	27090	3600	
	UG232NL	UBG232NL	100.000	57.15	21.431	25.000	25.000	69.82	1.50	9.6	7.49	25400	33540	3200	
55	UG235NL	UBG235NL	100.000	57.15	21.431	25.000	25.000	69.82	1.50	9.6	7.49	25400	33540	3200	
	UG2M55NL	UBG2M55NL	100.000	57.15	21.431	25.000	25.000	69.82	1.50	9.6	7.49	25400	33540	3200	
	UG236NL	UBG236NL	110.000	63.5	23.813	27.000	27.000	76.50	1.50	9.6	8.38	31300	40520	3000	
60	UG238NL	UBG238NL	110.000	63.5	23.813	27.000	27.000	76.50	1.50	9.6	8.38	31300	40520	3000	
	UG239NL	UBG239NL	110.000	63.5	23.813	27.000	27.000	76.50	1.50	9.6	8.38	31300	40520	3000	
	UG2M60NL	UBG2M60NL	110.000	63.5	23.813	27.000	27.000	76.50	1.50	9.6	8.38	31300	40520	3000	
65	UG240NL	UBG240NL	120.000	68.26	25.400	-	27.000	84.61	-	-	8.71	34900	44220	-	
	UG243NL	UBG243NL	120.000	68.26	25.400	-	27.000	84.61	-	-	8.71	34900	44220	-	
	UG2M65NL	UBG2M65NL	120.000	68.26	25.400	-	27.000	84.61	-	-	8.71	34900	44220	-	
75	UG244NL	-	130.000	73.02	26.987	-	29.000	92.05	-	-	9.32	42800	51600	-	
	UG247NL	-	130.000	73.02	26.987	-	29.000	92.05	-	-	9.32	42800	51600	-	
	UG2E48NL	-	130.000	73.02	26.987	-	29.000	92.05	-	-	9.32	42800	51600	-	
	UG2M75NL	-	130.000	73.02	26.987	-	29.000	92.05	-	-	9.32	42800	51600	-	


ייתן להשיג ללא גירוז U200NL / UB200NL

WG200UL מיסב מעוגל- עם גירוז

WBG200UL מיסב ישר- עם גירוז


W200UL מיסב מעוגל- ללא גירוז

WB200UL מיסב ישר- ללא גירוז




W200UL

מעוגל ללא גירוז




WB200UL

ישר ללא גירוז



WG200UL

מעוגל עם גירוז



WBG200UL

ישר עם גירוז

קוטר ציר [אינץ']	מק"ט		מידות [מ"מ]										עומסים [N]		מהירות
	מעוגל	ישר	B	D	G	H	J	M	N	r	T	Y	סטטי	דינמי	[סל"ד]
1/2	WG2B08UL	WBG2B08UL	40.000	28.57	6.500	19.050	13.000	28.6	22.33	0.61	13.5	3.28	4260	8100	9000
5/8	WG210UL	WBG210UL	40.000	28.57	6.500	19.050	13.000	28.6	22.33	0.61	13.5	3.28	4260	8100	9000
11/16	WG211UL	WBG211UL	40.000	28.57	6.500	19.050	13.000	28.6	22.33	0.61	13.5	3.28	4260	8100	9000
3/4	WG212UL	WBG212UL	47.000	30.96	7.500	21.430	15.000	33.3	25.73	1.00	13.5	3.48	5700	9830	7500
7/8	WG214UL	WBG214UL	52.000	30.96	7.500	21.430	15.000	38.1	30.73	1.00	13.5	3.56	6810	10810	6800
15/16	WG215UL	WBG215UL	52.000	30.96	7.500	21.430	15.000	38.1	30.73	1.00	13.5	3.56	6810	10810	6800
1	WG216UL	WBG216UL	52.000	30.96	7.500	21.430	15.000	38.1	30.73	1.00	13.5	3.56	6810	10810	6800
1-1/8	WG218EL	WBG218EL	62.000	35.71	9.000	23.812	18.000	44.4	40.31	1.00	15.9	5.13	9790	15030	5600
1-3/16	WG219EL	WBG219EL	62.000	35.71	9.000	23.812	18.000	44.4	40.31	1.00	15.9	5.13	9790	15030	5600
1-1/4	WG2E20EL	WBG2E20EL	62.000	35.71	9.000	23.812	18.000	44.4	40.31	1.00	15.9	5.13	9790	15030	5600
1-1/4	WG220EL	WBG220EL	72.000	38.89	9.500	25.400	19.000	55.6	46.91	1.00	17.5	6.07	13300	19880	4800
1-3/8	WG222EL	WBG222EL	72.000	38.89	9.500	25.400	19.000	55.6	46.91	1.00	17.5	6.07	13300	19880	4800
1-7/16	WG223EL	WBG223EL	72.000	38.89	9.500	25.400	19.000	55.6	46.91	1.00	17.5	6.07	13300	19880	4800
1-1/2	WG224EL	WBG224EL	80.000	43.66	11.000	30.162	22.000	60.3	52.91	1.00	18.2	6.43	17200	25100	4500
1-5/8	WG226UL	WBG226UL	85.000	43.66	11.000	30.162	22.000	63.5	53.57	1.00	18.2	6.45	17800	25220	4000
1-11/16	WG227UL	WBG227UL	85.000	43.66	11.000	30.162	22.000	63.5	53.57	1.00	18.2	6.45	17800	25220	4000
1-3/4	WG228UL	WBG228UL	85.000	43.66	11.000	30.162	22.000	63.5	53.57	1.00	18.2	6.45	17800	25220	4000
1-15/16	WG231UL	WBG231UL	90.000	43.66	11.000	30.162	22.000	69.8	58.57	1.00	18.2	6.81	20200	27090	3600
2	WG2E32UL	WBG2E32UL	90.000	43.66	11.000	30.162	22.000	69.8	58.57	1.00	18.2	6.81	20200	27090	3600

ניתן להשיג ללא גירוז W200UL / WB200UL