




דגם מס' 1




דגם מס' 2



דגם מס' 3




דגם מס' 10



דגם מס' 12



קוטר עבודה	מק"ט	מספר רצועות	מידות [מ"מ]			תותב הידוק	דגם מספר	קדח מקסימלי	
			B	W	T			[מ"מ]	[אינץ']
100	100SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	100SPB2-TL	2	44	26	18	TL1610	12	42	1.63
	100SPB3-TL	3	63	26	37	TL1610	12	42	1.63
106	106SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	106SPB2-TL	2	44	26	18	TL1610	12	42	1.63
	106SPB3-TL	3	63	26	37	TL1610	12	42	1.63
112	112SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	112SPB2-TL	2	44	26	18	TL1610	12	42	1.63
	112SPB3-TL	3	63	26	37	TL1610	12	42	1.63
118	118SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	118SPB2-TL	2	44	26	18	TL2012	12	50	2
	118SPB3-TL	3	63	26	18	TL1610	12	50	2
125	125SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	125SPB2-TL	2	44	32	12	TL2012	12	50	2
	125SPB3-TL	3	63	32	31	TL2012	12	50	2
	125SPB4-TL	4	82	32	25	TL2012	3	50	2
132	132SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	132SPB2-TL	2	44	32	12	TL2012	12	50	2
	132SPB3-TL	3	63	32	31	TL2012	12	50	2
	132SPB4-TL	4	82	32	25	TL2012	3	50	2
140	140SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	140SPB2-TL	2	44	32	12	TL2012	2	50	2
	140SPB3-TL	3	63	32	31	TL2012	2	50	2
	140SPB4-TL	4	82	46	18	TL2517	3	60	2.5
	140SPB5-TL	5	101	46	27.5	TL2517	3	60	2.5
	140SPB6-TL	6	120	46	37	TL2517	3	60	2.5
150	150SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	150SPB2-TL	2	44	32	12	TL2012	2	50	2
	150SPB3-TL	3	63	46	17	TL2517	2	60	2.5
	150SPB4-TL	4	82	46	18	TL2517	3	60	2.5
	150SPB5-TL	5	101	46	27.5	TL2517	3	60	2.5
	150SPB6-TL	6	120	46	37	TL2517	3	60	2.5
160	160SPB1-TL	1	25	26	1	TL1610	1	42	1.63
	160SPB2-TL	2	44	32	12	TL2012	2	50	2
	160SPB3-TL	3	63	46	17	TL2517	2	60	2.5
	160SPB4-TL	4	82	46	18	TL2517	3	60	2.5
	160SPB5-TL	5	101	46	27.5	TL2517	3	60	2.5
	160SPB6-TL	6	120	51	34.5	TL3020	3	75	3
170	170SPB1-TL	1	25	26	1	TL1610	10	42	1.63
	170SPB2-TL	2	44	32	12	TL2012	2	50	2
	170SPB3-TL	3	63	46	17	TL2517	2	60	2.5
	170SPB4-TL	4	82	46	18	TL2517	3	60	2.5
	170SPB5-TL	5	101	51	25	TL3020	3	75	3
	170SPB6-TL	6	120	51	34.5	TL3020	3	75	3

מתאים לרצועה B, SPB, XPB




קוטר עבודה	מק"ט	מספר רצועות	מידות [מ"מ]			תוכנית היזוק	דגם מספר	קדח מקסימלי	
			B	W	T			[מ"מ]	[אינץ']
180	180SPB1-TL	1	25	26	1	TL1610	10	42	1.63
	180SPB2-TL	2	44	46	2	TL2517	2	60	2.5
	180SPB3-TL	3	63	46	17	TL2517	2	60	2.5
	180SPB4-TL	4	82	46	18	TL2517	3	60	2.5
	180SPB5-TL	5	101	51	25	TL3020	3	75	3
	180SPB6-TL	6	120	51	34.5	TL3020	3	75	3
190	190SPB1-TL	1	25	32	7	TL2012	10	50	2
	190SPB2-TL	2	44	46	2	TL2517	1	60	2.5
	190SPB3-TL	3	63	46	17	TL2517	2	60	2.5
	190SPB4-TL	4	82	46	18	TL2517	3	60	2.5
	190SPB5-TL	5	101	51	25	TL3020	3	75	3
	190SPB6-TL	6	120	51	34.5	TL3020	3	75	3
200	200SPB1-TL	1	25	32	7	TL2012	10	50	2
	200SPB2-TL	2	44	46	2	TL2517	10	60	2.5
	200SPB3-TL	3	63	46	8.5	TL2517	8	60	2.5
	200SPB4-TL	4	82	51	15.5	TL3020	3	75	3
	200SPB5-TL	5	101	51	25	TL3020	3	75	3
	200SPB6-TL	6	120	51	34.5	TL3020	3	75	3
212	212SPB1-TL	1	25	32	7	TL2012	10	50	2
	212SPB2-TL	2	44	46	2	TL2517	10	60	2.5
	212SPB3-TL	3	63	46	8.5	TL2517	8	60	2.5
	212SPB4-TL	4	82	51	15.5	TL3020	3	75	3
	212SPB5-TL	5	101	51	25	TL3020	3	75	3
	212SPB6-TL	6	120	89	15.5	TL3535	3	90	3.5
224	224SPB1-TL	1	25	32	7	TL2012	6	50	2
	224SPB2-TL	2	44	46	2	TL2517	10	60	2.5
	224SPB3-TL	3	63	46	8.5	TL2517	8	60	2.5
	224SPB4-TL	4	82	51	15.5	TL3020	3	75	3
	224SPB5-TL	5	101	51	25	TL3020	3	75	3
	224SPB6-TL	6	120	89	15.5	TL3535	3	90	3.5
236	236SPB1-TL	1	25	32	7	TL2012	6	50	2
	236SPB2-TL	2	44	46	2	TL2517	10	60	2.5
	236SPB3-TL	3	63	46	8.5	TL2517	8	60	2.5
	236SPB4-TL	4	82	51	15.5	TL3020	8	75	3
	236SPB5-TL	5	101	64	18.5	TL3525	3	90	3.5
	236SPB6-TL	6	120	89	15.5	TL3535	3	90	3.5
250	250SPB1-TL	1	25	32	7	TL2012	6	50	2
	250SPB2-TL	2	44	46	2	TL2517	6	60	2.5
	250SPB3-TL	3	63	51	6	TL3020	8	75	3
	250SPB4-TL	4	82	51	15.5	TL3020	8	75	3
	250SPB5-TL	5	101	64	18.5	TL3525	3	90	3.5
	250SPB6-TL	6	120	89	15.5	TL3535	3	90	3.5
265	265SPB1-TL	1	25	32	7	TL2012	6	50	2
	265SPB2-TL	2	44	46	2	TL2517	6	60	2.5
	265SPB3-TL	3	63	51	6	TL3020	8	75	3
	265SPB4-TL	4	82	51	15.5	TL3020	8	75	3
	265SPB5-TL	5	101	64	18.5	TL3525	3	90	3.5
	265SPB6-TL	6	120	89	15.5	TL3535	3	90	3.5


מתאים לרצועה B, SPB, XPB




דגם מס' 4



דגם מס' 5





דגם מס' 6




דגם מס' 8

קוטר עבודה	מק"ט	מספר רצועות	מידות [מ"מ]			תותב הידוק	דגם מספר	קדח מקסימלי	
			B	W	T			[מ"מ]	[אינץ']
280	280SPB1-TL	1	25	32	6	TL2012	6	50	2
	280SPB2-TL	2	44	46	6	TL2517	6	60	2.5
	280SPB3-TL	3	63	51	5	TL3020	5	75	3
	280SPB4-TL	4	82	51	8	TL3020	8	75	3
	280SPB5-TL	5	101	64	8	TL3525	8	90	3.5
	280SPB6-TL	6	120	89	8	TL3535	8	90	3.5
300	300SPB1-TL	1	25	32	7	TL2012	6	50	2
	300SPB2-TL	2	44	46	2	TL2517	6	60	2.5
	300SPB3-TL	3	63	51	6	TL3020	5	75	3
	300SPB4-TL	4	82	64	9	TL3525	8	90	3.5
	300SPB5-TL	5	101	64	18.5	TL3525	8	90	3.5
	300SPB6-TL	6	120	89	15.5	TL3535	8	90	3.5
315	315SPB1-TL	1	25	32	7	TL2012	6	50	2
	315SPB2-TL	2	44	46	2	TL2517	6	60	2.5
	315SPB3-TL	3	63	51	6	TL3020	5	75	3
	315SPB4-TL	4	82	64	9	TL3525	8	90	3.5
	315SPB5-TL	5	101	64	18.5	TL3525	8	90	3.5
	315SPB6-TL	6	120	89	15.5	TL3535	8	90	3.5
340	340SPB2-TL	2	44	46	2	TL2517	6	60	2.5
	340SPB3-TL	3	63	51	6	TL3020	5	75	3
	340SPB4-TL	4	82	64	9	TL3525	5	90	3.5
	340SPB5-TL	5	101	64	18.5	TL3525	5	90	3.5
	340SPB6-TL	6	120	89	15.5	TL3535	5	90	3.5
	355	355SPB2-TL	2	44	51	7	TL3020	6	75
355SPB3-TL		3	63	51	6	TL3020	5	75	3
355SPB4-TL		4	82	64	9	TL3525	5	90	3.5
355SPB5-TL		5	101	64	18.5	TL3525	5	90	3.5
355SPB6-TL		6	120	89	15.5	TL3535	5	90	3.5
375		375SPB2-TL	2	44	51	7	TL3020	6	75
	375SPB3-TL	3	63	51	6	TL3020	5	75	3
	375SPB4-TL	4	82	64	9	TL3525	5	90	3.5
	375SPB5-TL	5	101	64	18.5	TL3525	5	90	3.5
	375SPB6-TL	6	120	89	15.5	TL3535	5	90	3.5

מתאים לרצועה B, SPB, XPB



דגם מס' 4



דגם מס' 5

קוטר עבודה	מק"ט	מספר רצועות	מידות [מ"מ]			תוחב הידוק	דגם מספר	קדח מקסימלי	
			B	W	T			[מ"מ]	[אינץ']
400	400SPB2-TL	2	44	51	3.5	TL3020	4	75	3
	400SPB3-TL	3	63	64	0.5	TL3525	4	90	3.5
	400SPB4-TL	4	82	64	9	TL3525	5	90	3.5
	400SPB5-TL	5	101	89	6	TL3535	5	90	3.5
	400SPB6-TL	6	120	89	15.5	TL3535	5	90	3.5
	425	425SPB2-TL	2	44	51	3.5	TL3020	4	75
425SPB3-TL		3	63	64	0.5	TL3525	4	90	3.5
425SPB4-TL		4	82	64	9	TL3525	5	90	3.5
425SPB5-TL		5	101	89	6	TL3535	5	90	3.5
425SPB6-TL		6	120	89	15.5	TL3535	5	90	3.5
450		450SPB2-TL	2	44	51	3.5	TL3020	4	75
	450SPB3-TL	3	63	64	0.5	TL3525	4	90	3.5
	450SPB4-TL	4	82	64	9	TL3525	5	90	3.5
	450SPB5-TL	5	101	89	6	TL3535	5	90	3.5
	450SPB6-TL	6	120	102	9	TL4040	5	100	4
	500	500SPB2-TL	2	44	51	3.5	TL3020	4	75
500SPB3-TL		3	63	64	0.5	TL3525	4	90	3.5
500SPB4-TL		4	82	64	9	TL3525	5	90	3.5
500SPB5-TL		5	101	89	6	TL3535	5	90	3.5
500SPB6-TL		6	120	102	9	TL4040	5	100	4
560		560SPB2-TL	2	44	51	3.5	TL3020	4	75
	560SPB3-TL	3	63	64	0.5	TL3525	4	90	3.5
	560SPB4-TL	4	82	64	9	TL3525	5	90	3.5
	560SPB5-TL	5	101	89	6	TL3535	5	90	3.5
	560SPB6-TL	6	120	102	9	TL4040	5	100	4
	630	630SPB2-TL	2	44	51	3.5	TL3020	4	75
630SPB3-TL		3	63	64	0.5	TL3525	4	90	3.5
630SPB4-TL		4	82	64	9	TL3525	5	90	3.5
630SPB5-TL		5	101	102	0.5	TL4040	4	100	4
630SPB6-TL		6	120	102	9	TL4040	5	100	4

מתאים לרצועה XPB, SPB, B