




Hi-Power MN

# רצועות הנעה V משוננות

A - רוחב 13 מ"מ




רצועות משוננות MN

רצועות עטופות

A		A		A		A		A	
מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ
A21MN	570	A48MN	1255	A75MN	1940	A102MN	2625	A118	3035
A22MN	595	A49MN	1280	A76MN	1965	A104MN	2680	A120	3085
A23MN	620	A50MN	1310	A77MN	1990	A105MN	2705	A124	3185
A24MN	645	A51MN	1330	A78MN	2020	A107MN	2755	A128	3290
A25MN	680	A52MN	1355	A79MN	2040	A108MN	2780	A130	3340
A26MN	705	A53MN	1385	A80MN	2070	A109MN	2800	A134	3440
A27MN	720	A54MN	1410	A81MN	2095	A110MN	2830	A136	3490
A28MN	745	A55MN	1435	A82MN	2120	A112MN	2880	A140	3590
A30MN	795	A56MN	1460	A83MN	2145	-	-	A144	3695
A31MN	825	A57MN	1485	A84MN	2170	-	-	A147	3770
A32MN	850	A58MN	1510	A85MN	2195	-	-	A158	4050
A33MN	875	A59MN	1535	A86MN	2220	-	-	A173	4430
A34MN	900	A60MN	1560	A87MN	2245	-	-	A180	4610
A35MN	925	A61MN	1585	A88MN	2270	-	-	-	-
A36MN	950	A62MN	1610	A89MN	2295	-	-	-	-
A37MN	975	A63MN	1635	A90MN	2325	-	-	-	-
A38MN	1000	A64MN	1660	A91MN	2350	-	-	-	-
A39MN	1025	A65MN	1690	A92MN	2375	-	-	-	-
A40MN	1055	A66MN	1715	A93MN	2400	-	-	-	-
A41MN	1080	A67MN	1735	A94MN	2425	-	-	-	-
A42MN	1105	A68MN	1765	A95MN	2450	-	-	-	-
A43MN	1130	A70MN	1815	A96MN	2475	-	-	-	-
A44MN	1155	A71MN	1840	A97MN	2500	-	-	-	-
A45MN	1180	A72MN	1865	A98MN	2525	-	-	-	-
A46MN	1205	A73MN	1890	A99MN	2545	-	-	-	-
A47MN	1230	A74MN	1915	A100MN	2575	-	-	-	-

Belts Tables; sponsored by GATES Ltd.

רצועות A עד מידה A112MN מסופקות משוננות, מעל מידה זו הרצועות עטופות  
אורך הרצועה נמדד בהיקף החיצוני ב- מ"מ (DATUM LENGTH)



רצועות משוננות MN

רצועות עטופות

B		B		B		B		B		B	
מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ
B24MN	670	B50MN	1320	B78MN	2030	B106MN	2745	B118	3050	B221	5625
B25MN	695	B51MN	1345	B79MN	2060	B108MN	2795	B120	3100	B225	5730
B26MN	710	B52MN	1370	B80MN	2085	B110MN	2845	B124	3200	B240	6110
B27MN	735	B53MN	1395	B81MN	2110	B112MN	2895	B128	3300	B249	6340
B28MN	770	B54MN	1425	B82MN	2135	B114MN	2945	B131	3380	B270	6870
B29MN	795	B55MN	1450	B83MN	2160	B116MN	3000	B133	3430	B300	7635
B30MN	815	B56MN	1475	B84MN	2185	-	-	B134	3455	-	-
B31MN	845	B57MN	1500	B85MN	2210	-	-	B136	3505	-	-
B32MN	870	B58MN	1525	B86MN	2235	-	-	B140	3610	-	-
B33MN	895	B59MN	1550	B88MN	2285	-	-	B144	3710	-	-
B34MN	920	B60MN	1575	B89MN	2310	-	-	B147	3785	-	-
B35MN	940	B61MN	1600	B90MN	2335	-	-	B148	3810	-	-
B36MN	965	B62MN	1625	B91MN	2365	-	-	B152	3910	-	-
B37MN	990	B63MN	1650	B92MN	2390	-	-	B157	4040	-	-
B38MN	1015	B64MN	1675	B93MN	2415	-	-	B158	4065	-	-
B39MN	1040	B65MN	1700	B94MN	2440	-	-	B162	4165	-	-
B40MN	1065	B66MN	1730	B95MN	2465	-	-	B165	4240	-	-
B41MN	1095	B67MN	1755	B96MN	2490	-	-	B167	4295	-	-
B42MN	1120	B70MN	1830	B97MN	2515	-	-	B173	4445	-	-
B43MN	1145	B71MN	1855	B98MN	2540	-	-	B177	4545	-	-
B44MN	1170	B72MN	1880	B99MN	2565	-	-	B180	4625	-	-
B45MN	1195	B73MN	1905	B100MN	2590	-	-	B186	4775	-	-
B46MN	1220	B74MN	1930	B102MN	2640	-	-	B195	5005	-	-
B47MN	1245	B75MN	1955	B103MN	2665	-	-	B196	5030	-	-
B48MN	1270	B76MN	1980	B104MN	2695	-	-	B208	5335	-	-
B49MN	1295	B77MN	2005	B105MN	2720	-	-	B210	5385	-	-

Belts Tables; sponsored by GATES Ltd.

רצועות B עד מידה A116MN מסופקות משוננות, מעל מידה זו הרצועות עטופות  
אורך הרצועה נמדד בהיקף החיצוני ב- מ"מ (DATUM LENGTH)





Hi-Power MN

# רצועות הנעה V משוננות

C - רוחב 22 מ"מ

D - רוחב 32 מ"מ



רצועות משוננות MN

רצועות עטופות

C		C		C		C		D	
מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ	מק"ט	אורך מ"מ
C42MN	1145	C81MN	2130	C116	3020	C255	6500	D120	3130
C43MN	1165	C82MN	2155	C118	3070	C265	6755	D124	3230
C46MN	1245	C83MN	2180	C120	3120	C270	6880	D128	3330
C47MN	1260	C85MN	2230	C124	3225	C280	7135	D137	3560
C48MN	1290	C87MN	2300	C128	3325	C285	7260	D140	3635
C49MN	1320	C88MN	2310	C132	3425	C300	7640	D144	3740
C50MN	1355	C90MN	2360	C134	3475	C330	8405	D158	4095
C51MN	1370	C92MN	2410	C136	3525	-	-	D162	4195
C53MN	1420	C93MN	2435	C140	3630	-	-	D170	4400
C54MN	1445	C95MN	2485	C144	3730	-	-	D173	4475
C55MN	1470	C96MN	2510	C147	3805	-	-	D177	4575
C56MN	1510	C97MN	2535	C153	3960	-	-	D180	4650
C57MN	1535	C98MN	2560	C158	4085	-	-	D187	4830
C58MN	1560	C99MN	2590	C162	4190	-	-	D195	5035
C59MN	1570	C100MN	2615	C165	4265	-	-	D197	5085
C60MN	1595	C102MN	2665	C173	4465	-	-	D204	5260
C62MN	1650	C104MN	2715	C177	4570	-	-	D210	5415
C65MN	1725	C105MN	2740	C180	4645	-	-	D223	5680
C66MN	1750	C108MN	2815	C195	5025	-	-	D240	6115
C68MN	1800	C109MN	2840	C208	5355	-	-	D250	6365
C70MN	1850	C110MN	2865	C210	5405	-	-	D270	6875
C71MN	1875	C112MN	2920	C222	5660	-	-	D282	7180
C72MN	1900	C115MN	2995	C225	5735	-	-	D298	7585
C74MN	1950	-	-	C238	6065	-	-	D300	7635
C75MN	1980	-	-	C240	6120	-	-	D330	8400
C78MN	2055	-	-	C250	6370	-	-	D360	9160

Belts Tables; sponsored by GATES Ltd.

רצועות C עד מידה C116MN מסופקות משוננות, מעל מידה זו הרצועות עטופות אורך הרצועה נמדד בהיקף החיצוני ב- מ"מ (DATUM LENGTH)